





LAW ENFORCEMENT GEAR-2025



DUNS NUMBER: 965105120

CAGE CODE: 65XL4

CQT CORPORATE HEADQUARTERS, 50485 UTICA DRIVE SHELBY TOWNSHIP, MI 48315 810-334-8161 • AL.DUSTANII@CQTUSA.COM • CQTUSA.COM • CQTWEAPONSYSTEMS.COM

SAC TopNaut Romeo(TNR) Level III Rifle Helmet



NIJ 0101.06 Level III Rifle Resistant stand alone protection from:

• 7.62x51mm M80 (V0 2100 fps)

Helmet Specifications:

- UHMWPE & Proprietary Composite Hybrid Design
- 3.3 lbs (1.5 kg) Full System Weight (Large)
- Rifle Resistant and Enhanced Small Arms and Frag Protection
- Same Weight as Legacy US MIL ACH Helmet
- Shell Thickness: 0.4 in (10 mm)
- High Cut

Helmet Options: Available Sizes: SM, MED, LG, XLG Available Colors: Black, OD Green, Coyote Brown Harness Style: H-Nape or BOA X-Nape NVG Mount Available Rails Available

Made in USA & Canada



50485 UTICA DRIVE SHELBY TWP MI 48315 SALES@CQTUSA.COM WWW.CQTUSA.COM



SAC TopNaut(TN4C) Level IIIA+BFD Rated Helmet





Helmet Specifications:

NIJ 0101.06 Level IIIA+ Full Backface

- US MIL STD 662F Frag Resistant
- Carbon & Aramid Fiber Hybrid Design
- 2.5 lbs (1.1 kg) Weight (Large)
- Exceeds DEA & FBI Protocols for ALL handgun calibers *** NTE 1" BFD
- Exceeds AR/PD10-02 Rev.A:2012 & CO/PD10-05-04:2207 helmet blunt trauma impact standards

Stand Alone Protection From:

- 9mm 124 gr 1450 fps < 1/4" BFD
- .357 SIG FMJ 1450 fps < 1/2" BFD
- .44 Mag SJHP 1450 fps < 1" BFD
- VPAM 9mm 1362 fps < 1/4" BFD

Helmet Options: Available Sizes: SM, MED, LG, XLG Available Colors: Black, OD Green, Coyote Brown Harness Style: H-Nape or BOA X-Nape NVG Mount Available Rails Available

Made in USA & Canada





586-726-4730 EXT 102 50485 UTICA DRIVE

50485 UTICA DRIVE Shelby TWP MI 48315 SALES@CQTUSA.COM WWW.CQTUSA.COM

LEGIO X - NIJ Level 4 SA Male & Female





LEGIO X is a great plate for any environment, this composite plate is rated NIJ Level 4 with the ability to stop additional threats as well.

Armourers Choice features a new polymer that offers a thinner, lighter and more affordable solution with the best multi-hit capability on the market. ACI's innovative polymer design embodies the toughness of a thermoset and the durability of a thermoplastic.

The Legio X is the market leader in NIJ Level 4 plate design, weighing in at 2.545 kg. It is capable of defeating the M2AP and additional threats in the same classification.

Plate Options:

Available Sizes: XSM, SM, MED, LG, XLG XSM - 8.2" x 11.2" SM - 8.75" x 11.75" MED - 9.5" x 12.5" LG - 10.25" x 13.25" XLG - 11" x 14"

AVAILABLE IN BOTH MALE & FEMALE CUTS

Size: 8.2" x 11.2" Weight: 5.2 lbs Thickness: .65" Level: NIJ Level IV Stand Alone(NIJ0101.06)

Size: 8.75" x 11.75" Weight: 5.7 lbs Thickness: .65" Level: NIJ Level IV Stand Alone(NIJ0101.06)

Size: 9.5" x 12.5" Weight: 6 lbs Thickness: .65" Level: NIJ Level IV Stand Alone(NIJ0101.06)

Size: 10.25" x 13.25" Weight: 6.5 lbs Thickness: .65" Level: NIJ Level IV Stand Alone(NIJ0101.06)

Size: 11" x 14" Weight: 6.9 lbs Thickness: .65" Level: NIJ Level IV Stand Alone(NIJ0101.06)

Made in USA & Canada



Plate Carrier Not Included

586-726-4730 EXT 102 50485 UTICA DRIVE

SHELBY TWP MI 48315

SALES@CQTUSA.COM WWW.CQTUSA.COM

LEGIO X - NIJ Level 3 Male & Female



LEGIO X LEVEL III is a great plate for any environment, this composite plate is rated NIJ Level 3.

Plate Options: Available Sizes: Size: XSM 8" x 11" Weight: 2.4 lbs Thickness: 1" Level: NIJ Level III Stand Alone(NIJ0101.06)

Size: SM 8.8" x 11.8" Weight: 2.8 lbs Thickness: 1" Level: NIJ Level III Stand Alone(NIJ0101.06)

Size: MD 9.6" x 12.6" Weight: 3 lbs Thickness: 1" Level: NIJ Level III Stand Alone(NIJ0101.06) Size: LG 10.4" x 13.4" Weight: 3.4 lbs Thickness: 1" Level: NIJ Level III Stand Alone(NIJ0101.06)

Size: XLG 11" x 14" Weight: 3.8 lbs Thickness: 1" Level: NIJ Level III Stand Alone(NIJ0101.06)

Plate Carrier Not Included

Made in USA & Canada



586-726-4730 EXT 102 50485 UTICA DRIVE

SALES@CQTUSA.COM SHELBY TWP MI 48315 WWW.CQTUSA.COM

LEX Series - NIJ Certified Level 4





The LEX Series NIJ Certified Level 4 Sets The Bar High For The Competition!

Plate Specifications:

- Ceramic/Polyethylene Composition
- Water proof and durable Cordura[®] sheath
- Side plates available

Plate Options: Available Sizes: SM, MD, LG, XLG, SHOOTERS CUT Size: SM 8.75" x 11.75" Weight: 5.7 lbs Thickness: 1.18" Level: NIJ Level IV (NIJ0101.06)

Size: MD 9.5" x 12.5" Weight: 6.6 lbs Thickness: 1.18" Level: NIJ Level IV (NIJ0101.06)

Size: LG 10.25" x 13.25" Weight: 7.6 lbs Thickness: 1.18" Level: NIJ Level IV (NIJ0101.06) Size: XLG 11" x 14" Weight: 8.8 lbs Thickness: 1.18" Level: NIJ Level IV (NIJ0101.06)

Size: SHOOTERS CUT 10" x 12" Weight: 6.4 lbs Thickness: 1.18" Level: NIJ Level IV (NIJ0101.06)

Threat Profile: 7.62x63mm APM2* 7.62x51mm M61 7.62x54R B-32 -API 7.62x39mm API

Plate Carrier Not Included

Made in USA & Canada



SHELBY TWP MI 48315

SALES@CQTUSA.COM WWW.CQTUSA.COM

LEX Series - NIJ Certified Level 3





The LEX Series NIJ Certified Level 3 uses the next generation materials that make this plate ready for anything!

Plate Specifications:

- NIJ 0101.06 Level III Certified*
- Polyethylene Composition
- Water proof and durable polyurea coating
- Side plates available

Plate Options:

Available Sizes: SM, MD, LG, XLG, SHOOTERS CUT Size: SM 8.75" x 11.75" Weight: 2.2 lbs Thickness: .94" Level: NIJ Level III (NIJ0101.06)

Size: MD 9.5" x 12.5" Weight: 2.6 lbs Thickness: .94" Level: NIJ Level III (NIJ0101.06)

Size: LG 10.25" x 13.25" Weight: 2.9 lbs Thickness: .94" Level: NIJ Level III (NIJ0101.06)

Size: XLG 11" x 14" Weight: 2.4 lbs Thickness: .94" Level: NIJ Level III (NIJ0101.06)

Size: SHOOTERS CUT 10" x 12" Weight: 3.3 lbs Thickness: .94" Level: NIJ Level III (NIJ0101.06)

Stand Alone Protection From: 7.62x51mm M80* 5.56x45mm M193 7.62x39mm M43 7.62x39mm M67

Plate Carrier Not Included

Made in USA & Canada



586-726-4730 EXT 102 50485 UTICA DRIVE

SHELBY TWP MI 48315

SALES@CQTUSA.COM WWW.CQTUSA.COM

CHIMERA Male - IIIA+





The CHIMERA line is designed to make it possible to have modular plate kits in your trunk and slip them in when you need the enhanced protection and remove them

Plate Specifications: Size: 8" x 10" Weight: 1.1 lbs Thickness: 0.3" Level: NIJ Level IIIA+ (NIJ0101.06)

Size: 10" x 12" Weight: 1.5 lbs Thickness: 0.3" Level: NIJ Level IIIA+ (NIJ0101.06)

Size: 12" x 14" Weight: 1.9 lbs Thickness: 0.3" Level: NIJ Level IIIA+ (NIJ0101.06) Plate Options: Available Sizes: XSM, SM, MED, LG, XLG XSM - 8.125" x 11.125" SM - 8.875" x 11.875" MED - 9.625" x 12.625" LG - 10.375" x 13.375" XLG - 11" x 14"

Threat Profile: .357 Sig Handgun .44 Magnum Revolver

Plate Carrier Not Included

Made in USA & Canada



586-726-4730 EXT 102 50485 UTICA DRIVE

SHELBY TWP MI 48315 WWW.CQTUSA.COM

SALES@CQTUSA.COM

NFG - BALLISTIC HELMET HIGH-CUT MITCH IIIA





FEATURES:

- Integrated formation of highly intensive aramid fiber under high pressure & high temperature
- The outer surface of the helmet shell is finished in matte with paint containing some portion of walnut powder.
- Our helmet is coated in Water-Transfer printing on the helmet directly
- NFG ballistic helmet edge is covered by anti-friction rubber material.

SPECIFICATIONS:

- Ballistic Surface Area: 1050 cm² 1150 cm²
- Type: ACH/MICH Type Helmet
- Protection Level: NIJ STD 0106.01 Level IIIA
 - (1) NIJ-0106.01 9mm FMJ, 124 grain, 1400 +/- 50 FPS
 - (2) NIJ-0106.01 9mm 44 Mag, SWC-GC, 240 grain, 1400 +/- 50 FPS
 - (3) MIL-STD-662F V50=630m/s, 2,130 FPS

- Material: 100% Aramid Fabric Composition with Phenolic Resin
- Interior System: Mesh/Skullcap Suspension System 4-Point Harness Chin Strap
- Net Weight: Approximately 1,450±50 Gram
- Color: OD Green | Black | Coyote Brown



NFG - BALLISTIC PLATE - Shooters Cut Level IV



Material: Alumina ceramic tiles composited with UHM-WPE plate backing Type: Single Curve – Shooter's Cut Style Protection Level: NIJ Level IV Stand Alone resisting from M2 AP (1 shot) Apply To: 7.62 mm x 63mm M2AP (1) Core bullet: Less than 6 shots only

(2) AP bullet: Less than 1 shots only Size: 250 x 300 mm (10" x 12") BFS: Within 44 mm

Ceramic Type: Tile Curvature: Single Curve Cut Shape: SAPI Cut/Shooter's Cut Cover: 600D Oxford wrapping with fire-retardant and waterproof Net Weight: 2.73 kg



586-726-4730 EXT 102 50485 UTICA DRIVE

SHELBY TWP MI 48315 WWW.CQTUSA.COM

SALES@CQTUSA.COM

NFG - INVADER PLATE CARRIER





Material: Heavy-duty 600D Oxford Color: Black Size: Uni-Size (one size fits most) Protection Level: Level IIIA against 9mm & .44 MAG

NFG's Invader Plate Carrier is engineered to provide low-profile, lightweight integration to your MOLLE compatible gear. Place your armor plate in the front and back pockets and in the hook and loop pockets on the side of the cummerbund for maximum protection. The cummerbund is fully detachable and adjustable. It can extend to 56", making it one size fits most. Attach additional pouches and accessories with the laser cut MOLLE-compatible straps located on the front and back of the vest and the sides of the cummerbund (14 rows on the front and back, and 5 rows on the cummerbund). The top 4 rows of MOLLE straps on the front and the back are loop-covered for patch attachment. For added protection, the tactical vest comes with interior air mesh padding. Holds Front, Back, & Side Plates, as well as Front, Back, & Side Soft Armor (If not using side plates, you can use side pockets to hold additional equipment). Store your phone, keys, and other small essentials in the top front hook and loop admin-type pocket. The adjustable shoulder straps feature detachable pads for added comfort and ABS plastic quick-release buckles. If you want to add a hydration pack, the MOLLE vest includes hydration hose points on both shoulder straps for a convenient water source while in the field. In case of an injury, the back of the military vest offers an emergency drag handle so your comrade can pull you to safety. Designed with denier nylon/polyester and laser-cut MOLLE, NFG's Invader Plate Carrier is ideally lightweight so that you can move freely while in combat. Available in Black.



SALES@CQTUSA.COM WWW.CQTUSA.COM



Eagle's Perch (EP40)TM Agile Shield Fighting Post



 The EP40 offers unmatched shield mobility & deployment

- Lightweight (40 lbs) and collapsible design allows for easy transport and stowage in the trunk of a sedan
- Includes stair-climber multidirectional wheels for traversing urbanized and rugged terrain
- Single front wheel and kick plate enable easy climbs over obstacles, curbs & stairs
- Designed to solidly hold ACI Juggernaut Level IV and Minotaur Level III shields fully loaded post turns on a dime!
- The EP40 is specifically designed for rapid build up or tear down in less than 30 secs
- Stainless Steel construction stands up to the most rugged and austere fighting environments
- 100% quality & satisfaction guaranteed --Unlimited Lifetime Warranty

Pictured: 2 Juggernaut Level IV's and a Minotaur Level III ready to deploy

SALES@CQTUSA.COM WWW.CQTUSA.COM



PREMIUM ARMOURY SOLUTIONS Juggernaut Level IV Large Shield



18x36 Large Juggernaut 29 lbs

\$8,908.45

- Exceeds NIJ 0108.01 Level IV multi-hit protection from
 - 7.62x63 mm (0.30-06) APM2
 - 7.62x54R B-32 API
 - 7.62x39mm API



18x30 Medium Juggernaut 26 lbs

\$8,588.95

- Ceramic/Composite Hybrid Composition
- Fighting dolly system available for maneuverable and detachable shield deployment
- Large & Medium IPSC Silhouette Shape for primary weapon stabilization and balance
- Hook & Loop front and back for accessory/badge attachments
- Thickness: 0.875 in (22 mm)



50485 UTICA DRIVE SALES@CQTUSA.COM SHELBY TWP MI 48315 WWW.CQTUSA.COM



PREMIUM ARMOURY SOLUTIONS AC MINOTAUR Level III Handheld Shields



20x30 IIIA+ W/VIEWPORT

\$1,886.20

20X30 III W/VIEWPORT

\$6,544.33

- 24x36 Large Minotaur Front, Side, Back 24 lbs
- NIJ 0108.01 Level III Rifle Rated stand alone protection from
 - 7.62x51mm M80
 - 5.56x45mm M193
 - o 7.62x39mm M43
 - 7.62x39mm M67



20x30 Small Minotaur Front, Side, Back **19 lbs**

24x36 IIIA+ W/VIEWPORT

\$2,553.77

24X36 III W/VIEWPORT

- \$7,221.79
- Polyethylene & Carbon Fibre Hybrid Composition
- Fighting dolly system available for maneuverable and detachable shield deployment
- Includes 4x10 View Port, Handle, Pad, Forearm Strap; Front Light with Strobe Optional
- Thickness: 0.78 in (20 mm)



586-726-4730 EXT 102 50485 UTICA DRIVE

SHELBY TWP MI 48315

SALES@CQTUSA.COM WWW.CQTUSA.COM